


# TROUSERS

## MODEL A-03



## **DESCRIPTION MODEL A-03**

Fitted trousers on the leg and slightly flared on the bottom.

Waist finished with strap in which elastic will be inserted.

**VERY IMPORTANT FOR THE REALIZATION OF THE MODEL IS TAKING THE MEASUREMENTS.**

In the MEASUREMENTS page, selecting “**Show dummy for measures**”, a dummy is displayed.

Selecting a box for entering measurements, for example Person Height, indicates how to correctly take this height.

**Your Measurements must be entered as requested, then it is the TittiCad program that processes them so that the original proportions of the model chosen by you adapt to your measurements.**

## **THE A-03 MODEL IS COMPOSED OF FOLLOWING PARTS:**

- 1) FRONT**
- 2) BEHIND**
- 3) STRAP TO FINISH WAIST**

### **Note:**

The pattern already includes seam allowances.

## **MATERIAL REQUIRED FOR THE REALIZATION OF THIS MODEL**

- Recommended **bi-elastic fabric**: cotton jersy, viscose jersy, light fleece. • Elastic height 2 cm and length equal to the cm of the waist circumference.
- It is recommended to try on the trousers with the elastic inserted into the waistband and check the fit before sewing the ends of the elastic. • Sewing machine thread, synthetic recommended for the fabric indicated.

## **PATTERN ON FABRIC AND QUANTITY OF FABRIC NECESSARY**

There are 2 possible cases, depending on whether you are using the TittiCad Program (installed on your PC), or the Online Pattern Making Service (present on the website [www.titticad.com](http://www.titticad.com)):

- TittiCad program: By opening the PRINT page and selecting the **Arrangement on fabric** item from the "List of Available Prints", a suggestion is displayed on how to position the model on the fabric.

- [Online Patterns of www.titticad.com](http://www.titticad.com): After entering the measurements and requesting the Free Preview, it is shown at the bottom of the page **Arrangement on fabric and required fabric length**.

The vertical arrow indicates the quantity of fabric required, while the horizontal arrow indicates the width of the fabric, it can be double fabric (when 75cm is indicated) or single fabric (when 150cm is indicated).

It is recommended to always take a little more (10-15 cm)

## **PACKAGING TIPS**

### **Pattern preparation**

[How to assemble TittiCad pattern.](#)

### **First steps in the packaging**

[2-3 Things to know about fabric before placing pattern on fabric.](#)

[How to place pattern on fabric.](#)

[Mark the outline of the pattern and assemble a front with a back.](#)

### **Specific video tutorials for this model**

[How to put together the Front Pant with the Back.](#)

[Strap with inserted elastic.](#)

[Simple hem.](#)

For all the video tutorials on the pack, click the link below:

[www.titticad.com/package](http://www.titticad.com/package)