TROUSERS

MOD-A-25

MOD-A-25

MOD-A-25

DESCRIPTION MOD-A-25

ÿ High-waisted trousers, with a very soft line.

ÿ Front pockets with rounded cut

  stretched.

ÿ Two pleats sewn under the pocket cut.

ÿ Concealed front zip.

ÿ High fit strap with loops.

VERY IMPORTANT FOR THE REALIZATION OF THE MODEL IS TAKING THE MEASUREMENTS.

In the MEASUREMENTS page, selecting **"Show dummy for measures",** a dummy is displayed.

Selecting a box for entering measurements, for example Person Height, indicates how to correctly take this height.

Your Measurements must be entered as requested,

then it is the TittiCad program that processes them so that the original proportions of the model chosen by you adapt to your measurements.

THE MOD-A-25 IS COMPOSED OF THE FOLLOWING PARTS:

N.1 FRONT. Once on the double fabric.

N.2 POCKET-SIDE PANEL. Once on the double fabric.

N.3 INTERNAL POCKET. Once on the double fabric.

N.4 FRONT-BASCHINA-RIGHT. Once on the double fabric.

N.5 FRONT-BASCHINA-LEFT. Once on the double fabric.

#6 BEHIND. Once on the double fabric.

N.7 BEHIND-BASCHINA. Once on the double fabric.

N.8 THROUGH. Twice on double fabric.

Note:
The pattern already includes seam allowances.

MATERIAL REQUIRED FOR THE
REALIZATION OF THIS MODEL

The fabric used for the model in the photo is a light wool.

ÿ Recommended fabric: denim, cotton, linen.

ÿ **QUANTITY** see next page.

ÿ Sewing machine thread.

ÿ Zipper, 18 cm long.

ÿ Two 18 mm diameter buttons.

ÿ Reinforcing thermo-adhesive fabric for strap

15 cm high 140 cm.

PATTERN ON THE FABRIC AND QUANTITY OF REQUIRED CLOTH

There are 2 possible cases, depending on whether you are using the TittiCad Program (installed on your PC), or the Online Pattern Making Service (present on the website www.titticad.com):

- TittiCad program: By opening the PRINT page and selecting the **Arrangement on fabric** item from the "List of Available Prints",

a suggestion is displayed on how to position the model on the fabric.

- Online Patterns of www.titticad.com: After entering the measurements and requesting the Free Preview, it is shown at the bottom of the page **Arrangement on fabric and required fabric length.**

The vertical arrow indicates the quantity of fabric required, while the horizontal arrow indicates the width of the fabric, it can be double fabric (when 75cm is indicated) or single fabric (when 150cm is indicated).

It is recommended to always take a little more (10-15 cm)

PACKAGING TIPS

Pattern preparation

[How to assemble TittiCad pattern.](#)

First steps in the packaging

[2-3 Things to know about fabric before placing pattern on fabric.](#)

[How to place pattern on fabric.](#)

[Mark the outline of the pattern and assemble a front with a back.](#)

Specific video tutorials for this model

Sew the pleats that are on the pocket cutout: [Sew pleats.](#)

The pocket of this trouser model has a slightly different shape from the one shown in the video, but the manufacturing technique is the same: [Jeans-type pocket packaging.](#)

[How to put together the Front Pant with the Back.](#)

[Pack hidden zipper without flap flap.](#)

Applied flap on the strap: [How to apply thermoadhesive flap.](#)

For all the video tutorials on the pack, click the link below:

[www.titticad.com/package](#)