

# SWEATER

**MOD-A-20**



## MOD-A-20



## **DESCRIPTION MOD-A-20**

- Kimono sleeve shirt.
- Tight fit.
- Sleeve finished with cuff.
- Round neck finished with band.

## **VERY IMPORTANT FOR THE REALIZATION OF THE MODEL IS TAKING THE MEASUREMENTS.**

In the MEASUREMENTS page, selecting **“Show dummy for measures”**, a dummy is displayed.

Selecting a box for entering measurements, for example Person Height, indicates how to correctly take this height.

**Your Measurements must be entered as requested, then it is the TittiCad program that processes them so that the original proportions of the model chosen by you adapt to your measurements.**

## **THE MOD-A-20 IS COMPOSED OF THE FOLLOWING PARTS:**

**N.1 FRONT.** Once on the fold of the fabric.

**#2 BEHIND.** Once on the double fabric.

**N.3 CUFF.** Once on the double fabric.

**N.4 BAND AROUND THE NECK.** Once on the fabric fold.

### **Note:**

The pattern already includes seam allowances.

## **MATERIAL REQUIRED FOR THE REALIZATION OF THIS MODEL**

The fabric used for the model in the photo is a slightly elasticated linen jersey.

- Recommended fabric: jersey.
- **QUANTITY** see next page.
- Sewing machine thread.

## **PATTERN ON THE FABRIC AND QUANTITY OF REQUIRED CLOTH**

There are 2 possible cases, depending on whether you are using the TittiCad Program (installed on your PC), or the Online Pattern Making Service (present on the website [www.titticad.com](http://www.titticad.com)):

- TittiCad program: By opening the PRINT page and selecting the **Arrangement on fabric** item from the "List of Available Prints",

a suggestion is displayed on how to position the model on the fabric.

- [Online Patterns of www.titticad.com](http://www.titticad.com): After entering the measurements and requesting the Free Preview, it is shown at the bottom of the page **Arrangement on fabric and required fabric length.**

The vertical arrow indicates the quantity of fabric required, while the horizontal arrow indicates the width of the fabric, it can be double fabric (when 75cm is indicated) or single fabric (when 150cm is indicated).

It is recommended to always take a little more (10-15 cm)

## **PACKAGING TIPS**

### **Pattern preparation**

[How to assemble TittiCad pattern.](#)

### **First steps in the packaging**

[2-3 Things to know about fabric before placing pattern on fabric.](#)

[How to place pattern on fabric.](#)

[Mark the outline of the pattern and assemble a front with a back.](#)

### **Specific video tutorials for this model**

This video is dedicated to the groove finishing, but it is the same technique used to finish the GIRO NECK of this model (on the pattern there are letters to match the neckline with the band):

[Finish recesses with band visible on obverse.](#)

[How to apply cuff to a shirt.](#)

[Double hem.](#)



For all the video tutorials on the pack, click the link below:

[www.titticad.com/package](http://www.titticad.com/package)