

## CARDIGAN

**MOD-A-43**



## MOD-A-43



# MOD-A-43

## **DESCRIPTION MODEL MOD-A-43**

- Model with kimono sleeve, cut to a few cm above the waist.
- Bottom of the model characterized by 3 different lengths.
- Finished round neck in back and opening in front with edge.

**VERY IMPORTANT FOR THE REALIZATION OF THE MODEL IS TAKING THE MEASUREMENTS.**

In the MEASUREMENTS page, selecting “**Show dummy for measures**”, a dummy is displayed.

Selecting a box for entering measurements, for example Person Height, indicates how to correctly take this height.

**Your Measurements must be entered as requested, then it is the TittiCad program which processes them so that the original proportions of the model chosen by you adapt to the your measurements.**

## **THE A-43 MODEL IS COMPOSED OF FOLLOWING PARTS:**

**N.1 FRONT.** Once on the double fabric.

**#2 BEHIND.** Once on the fabric fold.

**N.3 FRONT and LOWER BACK.** Once on the fabric fold.

**N.4 EDGE AROUND THE NECK and OPENING IN FRONT.** A  
turn on the double fabric.

### **Note:**

The pattern already includes seam allowances.

## **MATERIAL REQUIRED FOR THE REALIZATION OF THIS MODEL**

The fabric of the model in the photo is a cotton jersey.

- Recommended fabric: linen jersey, jersey cotton, viscose jersey.
- **QUANTITY** see following page.
- Button n.1 diameter 4 cm.
- Sewing machine thread.

**Being a made-to-measure model, it is not possible to indicate the right quantity for all the materials required.  
You will have to measure it appropriately.**

## **PATTERN ON THE FABRIC AND QUANTITY OF REQUIRED CLOTH**

There are 2 possible cases, depending on whether you are using the TittiCad Program (installed on your PC), or the Online Pattern Making Service (present on the website [www.titticad.com](http://www.titticad.com)):

- TittiCad program:

By opening the PRINT page and selecting the **Arrangement on fabric** item from the "List of Available Prints".

a suggestion of how to place the pattern on the fabric is displayed.

- [Online Patterns of www.titticad.com](http://www.titticad.com):

After entering the measurements and requesting the Free Preview, it is shown at the bottom of the page **Arrangement on fabric and required fabric length**.

The vertical arrow indicates the quantity of fabric required, while the horizontal arrow indicates the width of the fabric, it can be double fabric (when 75cm is indicated) or single fabric (when 150cm is indicated).

It is recommended to always take a little more (10-15 cm)



## **PACKAGING TIPS**

### **Pattern preparation**

[How to assemble TittiCad pattern.](#)

### **First steps in the packaging**

[2-3 Things to know about fabric before placing pattern on fabric.](#)

[How to place pattern on fabric.](#)

[Mark the outline of the pattern and assemble a front with a back.](#)

### **Specific video tutorials for this model**

- 1)** Sew and finish the front N.1 with the back N.2, sleeve, under sleeve and side.
- 2)** Join the lower Front/Back part N.3 with the Front and Back part sewn previously, being careful to match the letters on the pattern.
- 3)** Apply fascia.

**4)** On the seam that joins the front with the lower part, apply a button on the left side. On the right side, with the remaining fabric, form a buttonhole, with the shape you like.

For sleeve bottom and bottom hem:

[Double hem.](#)

The lower part can be finished with a roll stitch of the overlocker, it can also be left with a margin live, being knit it does not slip off.

For all the video tutorials on the packaging, click the link below:

[www.titticad.com/package](http://www.titticad.com/package)